


WICANDERS

wood Parquet

Enduring beauty from Nature.
Longlasting comfortable places.

AMORIM CORK FLOORING





WICANDERS

Wicanders has a legacy that goes back to 1868 and is the global leading brand in flooring products with cork technology. Its promise is to provide Floor and Wall coverings for Living, ready for real life, for our home and office, for our different rhythms, for our family, for all those wonderful and simple, yet sometimes unexpected moments.

Present in more than 80 countries, Wicanders belongs to Amorim Cork Flooring, a business unit of Corticeira Amorim - a family company founded in 1870, headquartered in Portugal and distinguished for its know-how and leading role as the biggest cork product company in the world.

**Wicanders means
everyday comfort, lifetime performance.**

AMORIM CORK FLOORING



BORN FROM NATURE

In order to guarantee top-quality products, Wicanders works with certified factories on various continents, adopting a sourcing strategy that turns possible the use of specific technologies, suited to the distinct characteristics of each individual wood species. This strategy enables us to offer unique products, while contributing to the economic development of problematic regions. This process is monitored by an Amorim committee of experts who ensure compliance with Wicanders parameters.

Inspired by Nature

Mother Nature offers us perfection in the form of precious wood, which Wicanders selects and transforms into exclusive flooring so that your everyday surroundings give you the calm and comfort of the purest emotions.

Environmentally responsible

Wicanders philosophy is one of deep respect for nature, reason why it only uses timber either from certified forests, or at least from sustainable and legal forestry. Composed of 100% natural materials, the multi-layer construction allows to take full advantage of each species, using fewer resources than in solid wood floor production.

Enduring Beauty

Composed of three or multi-layer top quality technology structure, based on solid wood, Wicanders Parquet is very resistant and durable due to breakthrough manufacturing solutions that define this innovative concept. Its sturdiness is immediately felt, accentuating the charisma and comfort of your space for years to come.



Sample images are cut from larger pieces. Decor and shade may vary slightly.

wood

Parquet

Oak

Formats

2200 x 260 x 15 mm

2200 x 220 x 15 mm

2200 x 185 x 13 mm

2000 x 185 x 13 mm

1900 x 190 x 15 mm

1900 x 190 x 14 mm

1860 x 189 x 15 mm

1860 x 189 x 14 mm

1830 x 189 x 15 mm

1800 x 185 x 13 mm

1200 x 150 x 10 mm



Loc & Fold



Tongue
& Groove

RANGE

Parquet



Engineered wood



Sant Angelo

European



Marienburg



Bellevue

RW04383 Oak | Rustic | Loc&Fold
Brushed | White Oil | 2M

RW04383 2200x185x13 mm

RW04383A 2000x185x13 mm

RW04383B 1800x185x13 mm



Rosenborg

RW04366 Oak | Rustic | Loc&Fold
Brushed | White Oil | 2M

RW04366 2200x185x13 mm

RW04366A 2000x185x13 mm

RW04366B 1800x185x13 mm



Versailles

RW04363 Oak | Rustic | Loc&Fold
Brushed | L. P. White Oil* | 2M

RW04363 2200x185x13 mm

RW04363M 2000x185x13 mm

RW04363A 1800x185x13 mm



Marienburg

RW04364 Oak | Rustic | Loc&Fold
Brushed | Natural Oil | 2M

RW04364 2200x185x13 mm
RW04364M 2000x185x13 mm
RW04364A 1800x185x13 mm



Kensington

RW04365 Oak | Rustic | Loc&Fold
Brushed | Natural Oil | 2M

RW04365 2200x185x13 mm
RW04365A 2000x185x13 mm
RW04365B 1800x185x13 mm



Habsburg

RW04389 Oak | Rustic | Loc&Fold
Brushed | L. P. White Oil * | 2M

RW04389 2200x185x13 mm
RW04389M 2000x185x13 mm
RW04389A 1800x185x13 mm



El Escorial

RW04369 Oak | Nature | Loc&Fold
Brushed | White Oil | 2M

RW04369 2200x185x13 mm
RW04369M 2000x185x13 mm
RW04369A 1800x185x13 mm



Charlottenburg

RW04367 Oak | Rustic | Loc&Fold
Brushed | Natural Oil | 2M

RW04367 2200x185x13 mm
RW04367A 2000x185x13 mm
RW04367B 1800x185x13 mm



Sant Angelo

RW04362 Oak | Rustic | Loc&Fold
Brushed | Natural Oil | 2M

RW04362 2200x185x13 mm
RW04362M 2000x185x13 mm
RW04362A 1800x185x13 mm



Windsor

RW04368 Oak | Nature | Loc&Fold
Brushed | Natural Oil | 2M

RW04368 2200x185x13 mm
RW04368M 2000x185x13 mm
RW04368A 1800x185x13 mm



Kentucky



Atlanta



New Orleans

RW04247C Oak | Nature | Loc&Fold
Brushed | Natural Oil |

1860 x 189 x 15mm | 2M 1MM



Houston

RW04244C Oak | Rustic | Loc&Fold
Handscraped | White Oil |

1900 x 190 x 15mm | 4M 2MM



Oklahoma

RW04242C Oak | Rustic | Loc&Fold
Smoked | Natural Oil |

1900 x 190 x 15mm | 4M 1MM

2M 2 side bevel

4M 4 side bevel



Colorado City

RW04322C Oak | Rustic | Loc&Fold
Irregular saw marks | Natural Oil

1900 x 190 x 15mm | 4M 1MM



Dallas

RW04243C Oak | Rustic | Loc&Fold
Handscraped | Natural Oil

1900 x 190 x 15mm | 4M 2MM



Rhode Island 2S

RW04361A Oak | Rustic | Loc&Fold
Hard Smoked | White Oil

1830 x 189 x 15mm | 4M 1MM



Vermont 2S

RW04360A Oak | Rustic | Loc&Fold
Hard Smoked | Natural Oil

1830 x 189 x 15mm | 4M 1MM



Denver

RW04320C Oak | Rustic | Loc&Fold
Irregular saw marks | Natural Oil

1900 x 190 x 15mm | 4M 1MM



Grand Canyon

RW04319C Oak | Rustic | Loc&Fold
Irregular saw marks | Natural Oil

1900 x 190 x 15mm | 4M 1MM



Santa Fé

RW04321C Oak | Rustic | Loc&Fold
Hard Smoked | Natural Oil

1900 x 190 x 15mm | 4M 1MM



New Hampshire

RW04359A Oak | Rustic | Loc&Fold
Hard Smoked | Natural Oil

1900 x 190 x 15mm | 4M 1MM

Victoria



Steel

RW04255C Oak | Rustic | Loc&Fold
New Handscraped | White Oil

1900 x 190 x 15mm | 4M 1MM



Ivory

RW04254C Oak | Rustic | Loc&Fold
New Handscraped | White Oil

1900 x 190 x 15mm | 4M 1MM



Sand

RW04253C Oak | Rustic | Loc&Fold
New Handscraped | Natural Oil

1900 x 190 x 15mm | 4M 1MM



Copper

RW04258C Oak | Rustic | Loc&Fold
New Handscraped | Natural Oil

1900 x 190 x 15mm | 4M 1MM



Grafite

RW04256C Oak | Rustic | Loc&Fold
New Handscraped | Natural Oil

1900 x 190 x 15mm | 4M 1MM



Pebble

RW04450A Oak | Rustic | Loc&Fold
New Handscraped | White Oil

1900 x 190 x 15mm | 4M 1MM

2M 2 side bevel

4M 4 side bevel

Manor House



Nottingham



Nottingham

RW04312A Oak | Nature | T&G
RW04209A Oak | Nature | Loc&Fold
Sanded | White Oil

1900 x 190 x 14mm | 2 1MM



Devon (XXL plank)

RW04386A Oak | Rustic | Loc&Fold
Brushed | White Oil 6-8%

2200 x 260 x 15mm | 4 1MM



Essex

RW04208A Oak | Nature | Loc&Fold
RW04311A Oak | Nature | T&G
Sanded | Natural Oil

1900 x 190 x 14mm | 2 1MM



Derby (XXL plank)

RW04385A Oak | Rustic | Loc&Fold
Brushed | Natural Oil 6-8%

2200 x 260 x 15mm | 4 1MM



Bentinck

RW04316A Oak | Rustic | T&G
Sanded | Natural Oil

1900 x 190 x 14mm | 2■1MM



Abington

RW04313A Oak | Rustic | T&G
RW04206A Oak | Rustic | Loc&Fold
Sanded | Natural Oil

1900 x 190 x 14mm | 2■1MM



Keppel

RW04446A Oak | Rustic | Loc&Fold
RW04480 Oak | Country | T&G
Brushed | Unfinished look, SML*

1860 x 189 x 14mm | 2■1MM



Carlisle

RW04441A Oak | Nature | Loc&Fold
RW04479 Oak | Nature | T&G
Brushed | Unfinished look, SML*

1860 x 189 x 14mm | 2■1MM



Howard

RW04315A Oak | Rustic | T&G
Smoked | White Oil

1900 x 190 x 14mm | 2■1MM



Lumley

RW04314A Oak | Rustic | T&G
RW04207A Oak | Rustic | Loc&Fold
Sanded | White Oil

1900 x 190 x 14mm | 2■1MM



Jersey

RW04451 Oak | Nature | Loc&Fold
Brushed | Super Mat Lacquered

1860x189x14mm | 2■1MM



Fane

RW04453 Oak | Rustic | Loc&Fold
Brushed | Super Mat Lacquered

1900 x 190 x 14mm | 2■1MM

Floresta



Stanley

RW04452 Oak | Rustic | Loc&Fold
Brushed | Super Mat Lacquered

1900 x 190 x 14mm | 2■1MM



Geranium

RW07101B Oak | Rustic | T&G
New Handscraped | White Oil

1200x150x10mm | 2■1MM



Narcissus

RW07104B Oak | Rustic | T&G
New Handscraped | White Oil

1200x150x10mm | 2■1MM



Camelia

RW07106B Oak | Rustic | T&G
New Handscraped | White Oil

1200x150x10mm | 2■1MM



Azalea

RW07103B Oak | Rustic | T&G
New Handscraped | Natural Oil

1200x150x10mm | 2■1MM



Violet

RW07102B Oak | Rustic | T&G
New Handscraped | Natural Oil

1200x150x10mm | 2■1MM

Wood is a natural material. Variation in colour and texture is a natural and attractive characteristic. The colour in the photos may not be exactly the same as the original colours due to difference in printing. SML* Super Mat Lacquered

Jewel



Topas

RW04392 Oak | Nature | Loc&Fold
RW04392A Oak | Nature | T&G
Sanded | Half White Oil
2200 x 220 x 15mm | 2■ 1MM



Sapphire

RW04398 Oak | Rustic | Loc&Fold
RW04398A Oak | Rustic | T&G
Handscraped | White Oil
2200 x 220 x 15mm | 4■ 2MM



Carnelian

RW04394 Oak | Rustic | Loc&Fold
New Handscraped | White Oil
2200 x 220 x 15mm | 4■ 1MM



Beryl

RW04396 Oak | Rustic | Loc&Fold
RW04396A Oak | Rustic | T&G
Irregular Saw Marks | White&Natural oil
2200 x 220 x 15mm | 4■ 1MM



Diamond

RW04391 Oak | Nature | Loc&Fold
RW04391A Oak | Nature | T&G
Sanded | Natural Oil
2200 x 220 x 15mm | 2■ 1MM



Emerald

RW04397 Oak | Rustic | Loc&Fold
RW04397A Oak | Rustic | T&G
Handscraped | Natural Oil
2200 x 220 x 15mm | 4■ 2MM



Amethyst

RW04393 Oak | Rustic | Loc&Fold
New Handscraped | Natural Oil
2200 x 220 x 15mm | 4■ 1MM



Ruby

RW04395 Oak | Rustic | Loc&Fold
RW04395A Oak | Rustic | T&G
Irregular Saw Marks | Natural Oil
2200 x 220 x 15mm | 4■ 1MM

Sizes

European



2200 x 185mm
2000 x 185mm
1800 x 185mm

Manor House



2200 x 260mm
1900x190mm
1860 x 189mm

Jewel



2200 x 220mm

Kentucky



1900 x 190mm
1860x189mm
1830 x 189mm

Victoria



1900 x 190mm


Floresta




1200 x 150mm




European




Manor House



Kentucky & Victoria



Jewel





| COLLECTION | EUROPEAN | VICTORIA, KENTUCKY | MANOR HOUSE | JEWEL | FLORESTA |
|--|---|---|--|--|--|
| Construction | 1-strip 3 layers engineered beveled edges on 2 sides | 1-strip 3 layers engineered beveled edges on 2 /4 sides | 1-strip 3 layers engineered beveled edges on 2/4 sides | 1-strip 3 layers engineered beveled edges on 2/4 sides | 1-strip multilayer engineered beveled edges on 2 sides |
| Installation system | Loc&Fold | Loc&Fold | Loc&Fold / tongue&groove | Loc&Fold / tongue&groove | Tongue&groove |
| Manufactured according to standard | EN 13489:2002 | EN 13489:2002 | EN 13489:2002 | EN 13489:2002 | EN 13489:2002 |
| Total thickness (mm) | 13 | 15 | 14, 15 | 15 | 10 |
| Wear layer (mm) | 2,5 | 3,5; 4 | 3; 3,5; | 4 | 2,5 |
| Length x Width (mm) | 2200 x 185 2000 x 185 1800 x 185 | 1830 x 189 1860 x 189 1900 x 190 | 1860 x 189 1900 x 190 2200 x 260 | 2200 x 220 | 1200 x 150 |
| FSC certified | FSC Mix | No | No | No | No |
| Species (Hardness) | Oak (38) | Oak (38) | Oak (38) | Oak (38) | Oak (38) |
| Fire resistance (EN 13501-1) | Dfl - s1 | Dfl - s1 | Dfl - s1 | Dfl - s1 | Dfl - s1 |
| Heat transmission resistance | 0,10 | 0,165 | 14/3 mm: 0,115 15/4 mm: 0,165 | 0,165 | 0,085 |
| Moisture content | 7 ± 2% | 7 ± 2% | 7 ± 2% | 7 ± 2% | 7 ± 2% |
| Height difference between planks after installation (mm) | max. ± 0,10 | ≤ 0,20 | ≤ 0,20 | ≤ 0,20 | ≤ 0,20 |
| Finish | natural oil/white oil/low pigment white oil, different kinds of stains | natural oil/white oil | natural oil/white oil/unfinished/ super mat lacquered | natural oil/half white oil/white oil/white&natural oil | natural oil/white oil |
| Formaldehyde emission | E1 | E1 | E1 | E1 | E1 |

Floresta

HARDWOOD APPROX. 2,5MM

CORE LAYER OF MADE
OF PLYWOOD







Amorim Cork Flooring, S.A.

Rua do Ribeirinho 202 - P.O. Box 13

4536-907 S. Paio de Oleiros - Portugal

T. +351 22 747 56 00 **E.** info.acf@amorim.com

www.wicanders.com

| | | |
|-----------|---|--|
| DE | Amorim Deutschland GmbH (+49) 4221 5 93-01 | info.acf.de@amorim.com |
| BE NE LUX | Amorim Benelux B.V. (+31) 166 604 111 | info.acf.bnl@amorim.com |
| AT | Amorim Deutschland GmbH (+43) 1 54 51 65 10 | info.acf.at@amorim.com |
| CH | Amorim Flooring Switzerland AG (+41) 41 726 20 20 | info.acf.ch@amorim.com |
| PT | Amorim Cork Flooring, S.A. (+351) 227 475 600 | info.acf@amorim.com |
| ES | Amorim Cork Flooring, S.A. (+351) 227 475 600 | info.acf.es@amorim.com |
| FR | Amorim Cork Flooring, S.A. (+33) 800 914 848 | info.acf.fr@amorim.com |
| DK | Timberman Denmark A/S (+45) 995 252 52 | timberman@timberman.dk |
| PL | Dom Korkowy, Sp. z o.o. (+48) 126 379 639 | krakow@domkorkowy.pl |
| US | Amorim Flooring North America (+1) 410 553 60 62 | info.acf.us@amorim.com |
| RU | Amorim Flooring Rus, OOO (+7) 495 280 7860 | info.acf.ru@amorim.com |
| IT | Amorim Cork Flooring, S.A. (+39) 800 790 805 | info.acf.it@amorim.com |
| FI | Korkkitrio Oy (+358) 50 554 2616 | wicandersmyynti@korkkitrio.fi |
| SW | Amorim Flooring Sweden (+46) 311 077 40 | info.acf.se@amorim.com |

AMORIM