

according to 1907/2006/EC, Article 31

Printing date 29.07.2009

Revision: 01.12.2008

1 Identification of the substance/preparation and of the company/undertaking

· Product details

- · Identification of the substance/preparation: Wood Floor Deep Clean
- · Application of the substance / the preparation Basic cleaner
- **Company/undertaking identification:** CC-Dr. Schutz GmbH Holbeinstr. 17, D-53175 Bonn
- Tel. +49 (0)228 95352-0, Fax +49 (0)228 95352-28
- Further information obtainable from: Department for product development E-mail: labor@dr-schutz.com, www.dr-schutz.com

· Emergency telephone:

CC-Dr. Schutz GmbH, Steinbrinksweg 30, D-31840 Hessisch Oldendorf Tel. +49 (0)5152 9779-0 (Mo.-Do. 8.00-17.00 Uhr, Fr. 8.00-14-00 Uhr)

2 Hazards identification

· Classification:

The product has to be labelled due to the calculation procedure of the "General Classification guideline for preparations of the EU" in the latest valid version.

- Flammable.
- · Information concerning particular hazards for human and environment:

Heightened danger of slipping when the product is spilled on the floor.

In the gas volume of sealed packages vapours of flammable solvents, especially at action of heat, may accumulate. Keep away fire and ignition sources.

R 10 Flammable.

3 Composition/information on ingredients

· Chemical characterization

· Description: Mixture of substances listed below with nonhazardous additions.

 Dangerous components:

 CAS: 64-17-5 EINECS: 200-578-6
 ethanol
 Image: F; R 11
 10-25%

 CAS: 5131-66-8 EINECS: 225-878-4
 3-butoxypropan-2-ol
 Xi; R 36/38
 1-5%

• Additional information: For the wording of the listed risk phrases refer to section 16.

4 First aid measures

· General information: Immediately remove any clothing soiled by the product.

- After inhalation: Supply fresh air.
- After skin contact:

Rinse with warm water.

After each cleaning use treatment creams, for very dry skin greasy ointments.

· After eye contact:

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

After swallowing:

Rinse out mouth and then drink plenty of water.

Do not induce vomiting; call for medical help immediately.

5 Fire-fighting measures

· Suitable extinguishing agents:

CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

(Contd. on page 2)

according to 1907/2006/EC, Article 31

Printing date 29.07.2009

Revision: 01.12.2008

Identification of the substance/preparation: Wood Floor Deep Clean

(Contd. of page 1)

- Use fire extinguishing methods suitable to surrounding conditions.
- · For safety reasons unsuitable extinguishing agents: Water with full jet

 \cdot Special hazards caused by the substance, its products of combustion or resulting gases:

Danger of forming toxic pyrolysis products.

· Protective equipment:

Do not inhale explosion gases or combustion gases.

Wear self-contained respiratory protective device.

· Additional information

Dispose of fire debris and contaminated fire fighting water in accordance with official regulations.

6 Accidental release measures

· Person-related safety precautions:

Avoid contact with the eyes.

Avoid close or long term contact with the skin.

Do not inhale gases / fumes / aerosols.

Ensure adequate ventilation

Keep away from ignition sources.

Particular danger of slipping on leaked/spilled product.

Measures for environmental protection:

Prevent from spreading (e.g. by damming-in or oil barriers).

Do not allow to enter sewers/ surface or ground water.

Measures for cleaning/collecting:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Dispose of the material collected according to regulations.

7 Handling and storage

· Handling:

· Information for safe handling:

Follow instructions on the label and in the Technical Product Information Sheet.

Avoid contact with the eyes.

Avoid close or long term contact with the skin.

Do not inhale gases / fumes / aerosols.

Ensure good ventilation/exhaustion at the workplace.

Information about fire - and explosion protection:

Keep ignition sources away - Do not smoke.

Protect against electrostatic charges.

· Storage:

· Requirements to be met by storerooms and receptacles: Store only in unopened original receptacles.

· Information about storage in one common storage facility: Store away from foodstuffs.

• Further information about storage conditions:

Store in cool, dry conditions in well sealed receptacles.

Protect from heat and direct sunlight.

Store under lock and key and out of the reach of children.

8 Exposure controls/personal protection

• Exposure limit values:

64-17-5 ethanol

WEL Long-term value: 1920 mg/m³, 1000 ppm

· Occupational exposure controls:

General protective and hygienic measures:

Do not inhale gases / fumes / aerosols.

(Contd. on page 3)

GB -

according to 1907/2006/EC, Article 31

Printing date 29.07.2009

Revision: 01.12.2008

Identification of the substance/preparation: Wood Floor Deep Clean

(Contd. of page 2) Do not eat, drink, smoke or sniff while working. Be sure to clean skin thoroughly after work and before breaks. Keep away from foodstuffs, beverages and feed. · Respiratory protection: Not necessary if room is well-ventilated. Protection of hands: Avoid direct contact with the chemical/ the product/ the preparation by organizational measures. To avoid skin problems reduce the wearing of gloves to the required minimum. • Material of gloves Nitrile rubber, NBR The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application. Penetration time of glove material The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed. · Eve protection: Where there is a danger of the eyes coming into contact with splashes of liquid (i.e. when refilling larger quantities), safety goggles according to EN 166 (i.e. goggles with side shields) are recommended. · Body protection: Not required. Limitation and supervision of exposure into the environment Follow instructions for use, dosage and waste disposal.

General Information	
Form: Colour: Odour:	Fluid Colourless Alcohol-like
Change in condition Melting point/Melting range: Boiling point/Boiling range:	
Flash point:	43°C (Seta Flash Closed Cup)
Flammability (solid, gaseous):	Undetermined.
Self-igniting:	Product is not selfigniting.
Danger of explosion:	Product is not explosive. However, formation of explosive air/vapour mixtures are possible.
Explosion limits: Lower: Upper:	3.5 Vol % 15.0 Vol %
Density at 20°C:	0.977 g/cm³
Solubility in / Miscibility with water:	Fully miscible.
pH-value at 20°C:	7.5
Viscosity: Kinematic at 20°C:	20-25 s (ISO 2431, 3 mm)

(Contd. on page 4)

according to 1907/2006/EC, Article 31

Printing date 29.07.2009

Revision: 01.12.2008

Identification of the substance/preparation: Wood Floor Deep Clean

(Contd. of page 3)

10 Stability and reactivity

- · Conditions to avoid: No decomposition if used and stored according to specifications.
- · Materials to avoid:

Reacts with strong oxidizing agents.

Can form explosive mixtures in air if heated above flash point and/or when sprayed or atomised.

· Hazardous decomposition products: Danger of forming toxic pyrolysis products.

11 Toxicological information

· Acute toxicity:

- Primary irritant effect:
- on the skin: No irritant effect.
- · on the eye: No irritating effect.
- Sensitization: No sensitizing effects known.
- · Additional toxicological information:

When used and handled according to specifications, the product does not have any harmful effects to our experience and the information provided to us.

· Repeated dose toxicity Undetermined.

· CMR effects (carcinogenity, mutagenicity and toxicity for reproduction) Undetermined.

12 Ecological information

· Persistence and degradability:

The surfactants contained in the product correspond to the direction on the environmental compatibility of detergents and are biodegradable.

The sovent is biodegradable

- Behaviour in environmental systems:
- · Mobility and bioaccumulation potential: Undetermined.
- · Ecotoxical effects:
- · Acquatic toxicity: Undetermined.
- · Behaviour in sewage processing plants:

Technically correct releases of minimal concentrations to adapted biological sewage plants, will not disturb the biodegradability of activated sludge. Before allowing large quantities to be fed into sewage plants, obtain the approval of the responsible authorities.

General notes:

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water Do not allow to reach ground water/water course. Do not allow undiluted product or large quantities of it to reach sewage system.

13 Disposal considerations

· Product:

· Recommendation

Must be specially treated adhering to official regulations.

Small amounts may be diluted with plenty of water and washed away. Dispose of bigger amounts in accordance with Local Authority requirements.

· European waste catalogue

20 01 29 detergents containing dangerous substances

· Uncleaned packaging:

· Recommendation:

Empty contaminated packagings thoroughly. They may be recycled after thorough and proper cleaning. Packagings that may not be cleansed are to be disposed of in the same manner as the product.

(Contd. on page 5)

according to 1907/2006/EC, Article 31

Printing date 29.07.2009

Identification of the substance/preparation: Wood Floor Deep Clean

(Contd. of page 4)

· Recommended cleansing agents: Water, if necessary together with cleansing agents.

14 Transport information

· Land transport ADR/RID (cross-border):

· ADR/RID class: -

• **Remarks:** Not classified as Dangerous Good according to Special Provision 144, chap. 3.3 ADR.

15 Regulatory information

- · Labelling according to EC guidelines:
- · Code letter and hazard designation of product:

The product has been classified and marked in accordance with EU Directives / Ordinance on Hazardous Materials.

· Hazard-determining components of labelling: None

- · Risk phrases:
- 10 Flammable.
- · Safety phrases:
- 1/2 Keep locked up and out of the reach of children.
- 46 If swallowed, seek medical advice immediately and show this container or label.
- 51 Use only in well-ventilated areas.
- 56 Dispose of this material and its container to hazardous or special waste collection point.
- · National regulations:
- · Information about limitation of use: Employment restrictions concerning juveniles must be observed.

• Other regulations, limitations and prohibitive regulations Other regulations (EC): Regulation (EC) No 648/2004

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Relevant R-phrases

11 Highly flammable.

- 36/38 Irritating to eyes and skin.
- Training hints ----
- · Recommended restriction of use ---
- · Department issuing MSDS: Department for product development
- · Contact: Bettina Schaar
- · Sources Safety data sheet for raw materials, eur-lex.europa.eu