

according to Regulation (EC) No 1907/2006, Article 31

Printing date 15.02.2012 Version number 3 Revision: 15.02.2012

#### 1 Identification of the substance/mixture and of the company/undertaking

- · Product identifier
- · Identification of the substance/preparation: Elatex Stain Remover
- · Relevant identified uses of the substance or mixture and uses advised against
- · Sector of Use

SU21 Consumer uses: Private households / general public / consumers

SU22 Professional uses: Public domain (administration, education, entertainment, services, craftsmen)

- · Application of the substance / the preparation Cleaning material/ Detergent
- · Details of the supplier of the safety data sheet
- · Company/undertaking identification:

CC-Dr. Schutz GmbH Holbeinstr. 17, 53175 Bonn

Tel.: +49(0)228-95352-0, Fax.: +49(0)228-95352-28

· Further information obtainable from:

Department for product development

E-mail: labor@dr-schutz.com, www.dr-schutz.com

· Emergency telephone number:

CC-Dr. Schutz GmbH, Steinbrinksweg 30, D-31840 Hessisch Oldendorf Tel. +49 (0)5152 9779-0 (Mo.-Do. 8.00-17.00 Uhr, Fr. 8.00-14-00 Uhr)

#### 2 Hazards identification

- · Classification of the substance or mixture
- Classification according to Directive 67/548/EEC or Directive 1999/45/EC

The product does not have to be labelled due to the calculation procedure of the "General Classification guideline for preparations of the EU" in the latest valid version.

Void

· Information concerning particular hazards for human and environment:

No hazards to be particularly mentioned.

- · Label elements
- · Labelling according to EU guidelines:
- · Code letter and hazard designation of product:

The product is not subject to identification regulations under EU Directives and the Ordinance on Hazardous Materials (German GefStoffV).

· Safety phrases:

1/2 Keep locked up and out of the reach of children.

- · Other hazards
- · Results of PBT and vPvB assessment
- PBT: Not applicable.vPvB: Not applicable.

#### 3 Composition/information on ingredients

- · Chemical characterization: Mixtures
- · Description: Mixture of substances listed below with nonhazardous additions.

· Dangerous components:		
CAS: 111-90-0 EINECS: 203-919-7	2-(2-ethoxyethoxy)ethanol	25-50%
CAS: 34590-94-8	(2-methoxymethylethoxy)propanol substance with a Community workplace exposure limit	25-50%

(Contd. on page 2)

according to Regulation (EC) No 1907/2006, Article 31

Printing date 15.02.2012 Version number 3 Revision: 15.02.2012

Identification of the substance/preparation: Elatex Stain Remover

	(Cor	ntd. of page 1)
CAS: 107-98-2	1-methoxy-2-propanol	10-25%
EINECS: 203-539-1	R10	
	♦ Flam. Liq. 3, H226	
CAS: 7722-84-1	hydrogen peroxide solution	1-5%
EINECS: 231-765-0	C R35; Xn R20/22; 🔥 O R8	
	R5	
	♦ Ox. Liq. 1, H271; ♦ Skin Corr. 1A, H314; ♦ Acute Tox. 4, H302; Acute Tox. 4, H332	

<sup>·</sup> Additional information: For the wording of the listed risk phrases refer to section 16.

### 4 First aid measures

- · Description of first aid measures
- · General information: Immediately remove any clothing soiled by the product.
- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact:

Immediately rinse with water.

After each cleaning use treatment creams, for very dry skin greasy ointments.

· After eye contact:

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

· After swallowing:

Rinse out mouth and then drink plenty of water.

Do not induce vomiting; call for medical help immediately.

Do not leave affected persons unattended.

- · Information for doctor:
- · Most important symptoms and effects, both acute and delayed

No further relevant information available.

· Indication of any immediate medical attention and special treatment needed

No further relevant information available.

### 5 Firefighting measures

- · Extinguishing media
- · Suitable extinguishing agents:

CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

Use fire extinguishing methods suitable to surrounding conditions.

- · Special hazards arising from the substance or mixture Danger of forming toxic pyrolysis products.
- · Advice for firefighters
- · Protective equipment:

Do not inhale explosion gases or combustion gases.

Wear self-contained respiratory protective device.

· Additional information

Dispose of fire debris and contaminated fire fighting water in accordance with official regulations.

#### 6 Accidental release measures

· Personal precautions, protective equipment and emergency procedures

Avoid contact with the eyes.

Avoid close or long term contact with the skin.

Do not inhale gases / fumes / aerosols.

Particular danger of slipping on leaked/spilled product.

· Environmental precautions:

Prevent from spreading (e.g. by damming-in or oil barriers).

(Contd. on page 3)

according to Regulation (EC) No 1907/2006, Article 31

Printing date 15.02.2012 Version number 3 Revision: 15.02.2012

Identification of the substance/preparation: Elatex Stain Remover

(Contd. of page 2)

Do not allow to enter sewers/ surface or ground water.

· Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Dispose of the material collected according to regulations.

· Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

### 7 Handling and storage

- · Handling:
- · Precautions for safe handling

Follow instructions on the label and in the Technical Product Information Sheet.

Avoid contact with the eyes.

Avoid close or long term contact with the skin.

Do not inhale gases / fumes / aerosols.

· Information about fire - and explosion protection:

Highly volatile, flammable constituents are released during processing.

No special precautions are necessary if used correctly.

- · Conditions for safe storage, including any incompatibilities
- · Storage:
- · Requirements to be met by storerooms and receptacles:

Store only in unopened original receptacles.

- · Information about storage in one common storage facility: Store away from foodstuffs.
- · Further information about storage conditions:

Store in cool, dry conditions in well sealed receptacles.

Protect from heat and direct sunlight.

Protect from contamination.

Store under lock and key and out of the reach of children.

· Specific end use(s) None

### 8 Exposure controls/personal protection

- · Control parameters
- · Exposure limit values:

## 34590-94-8 (2-methoxymethylethoxy)propanol

WEL Long-term value: 308 mg/m³, 50 ppm

## 107-98-2 1-methoxy-2-propanol

WEL Short-term value: 560 mg/m³, 150 ppm Long-term value: 375 mg/m³, 100 ppm

#### 7722-84-1 hydrogen peroxide solution

WEL Short-term value: 2.8 mg/m³, 2 ppm Long-term value: 1.4 mg/m³, 1 ppm

- · Exposure controls
- · Occupational exposure controls:
- · General protective and hygienic measures:

Do not inhale gases / fumes / aerosols.

Do not eat, drink, smoke or sniff while working.

Be sure to clean skin thoroughly after work and before breaks.

(Contd. on page 4)

according to Regulation (EC) No 1907/2006, Article 31

Printing date 15.02.2012 Version number 3 Revision: 15.02.2012

Identification of the substance/preparation: Elatex Stain Remover

(Contd. of page 3)

Keep away from foodstuffs, beverages and feed.

- · Respiratory protection: Not necessary if room is well-ventilated.
- · Protection of hands:

Avoid direct contact with the chemical/ the product/ the preparation by organizational measures.

To avoid skin problems reduce the wearing of gloves to the required minimum.

After each cleaning use treatment creams, for very dry skin greasy ointments.

· Material of gloves

Nitrile rubber, NBR

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection:

Where there is a danger of the eyes coming into contact with splashes of liquid (i.e. when refilling larger quantities), safety goggles according to EN 166 (i.e. goggles with side shields) are recommended.

- · Body protection: Not required.
- · Limitation and supervision of exposure into the environment

Follow instructions for use, dosage and waste disposal.

9 Physical and chemical properties
· Information on basic physical and

d chemical properties

· General Information

· Appearance:

Form: Fluid Colour: Colourless · Odour: Ether-like

· pH-value at 20°C: 2.5

· Change in condition

Melting point/Melting range: Undetermined. Boiling point/Boiling range: Undetermined.

· Flash point: > 70°C (Seta Flash Closed Cup)

Flammability (solid, gaseous): Undetermined.

· Self-igniting: Product is not selfigniting.

· Danger of explosion: Product does not present an explosion hazard.

· Explosion limits:

Lower: 1.1 Vol % Upper: 14.0 Vol %

 Density at 20°C: 1.009 g/cm<sup>3</sup>

· Solubility in / Miscibility with

Fully miscible. water:

· Viscosity:

Kinematic at 20°C: 29-33 s (ISO 2431, 3 mm)

· Other information No further relevant information available.

according to Regulation (EC) No 1907/2006, Article 31

Printing date 15.02.2012 Version number 3 Revision: 15.02.2012

Identification of the substance/preparation: Elatex Stain Remover

(Contd. of page 4)

#### 10 Stability and reactivity

- · Reactivity
- · Chemical stability
- · Conditions to avoid:

Protect from heat and direct sunlight.

Protect from contamination.

- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials:

Reacts with reducing agents.

Reacts with strong alkali.

Reacts with flammable substances.

· Hazardous decomposition products: Danger of forming toxic pyrolysis products.

### 11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity:
- · Primary irritant effect:
- · on the skin: No irritant effect.
- · on the eye: No irritating effect.
- · Sensitization: No sensitizing effects known.
- · Additional toxicological information:

The product is not subject to classification according to the calculation method of the General EU Classification Guidelines for Preparations as issued in the latest version.

When used and handled according to specifications, the product does not have any harmful effects to our experience and the information provided to us.

- · Repeated dose toxicity Undetermined.
- · CMR effects (carcinogenity, mutagenicity and toxicity for reproduction) Undetermined.

### 12 Ecological information

- Toxicity
- · Aquatic toxicity: Undetermined.
- · Persistence and degradability The sovent is biodegradable
- · Behaviour in environmental systems:
- · Bioaccumulative potential Undetermined.
- · Mobility in soil No further relevant information available.
- · Ecotoxical effects:
- · Remark: After neutralization a reduction of the harming action may be recognized
- · Behaviour in sewage processing plants:

Technically correct releases of minimal concentrations to adapted biological sewage plants, will not disturb the biodegradability of activated sludge. Before allowing large quantities to be fed into sewage plants, obtain the approval of the responsible authorities.

- · Additional ecological information:
- · General notes:

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water Do not allow to reach ground water/water course. Do not allow undiluted product or large quantities of it to reach sewage system.

- · Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.

(Contd. on page 6)

according to Regulation (EC) No 1907/2006, Article 31

Printing date 15.02.2012 Version number 3 Revision: 15.02.2012

Identification of the substance/preparation: Elatex Stain Remover

· Other adverse effects No further relevant information available.

(Contd. of page 5)

#### 13 Disposal considerations

- · Waste treatment methods
- Recommendation

Must be specially treated adhering to official regulations.

Small amounts may be diluted with plenty of water and washed away. Dispose of bigger amounts in accordance with Local Authority requirements.

· European waste catalogue

20 01 30 detergents other than those mentioned in 20 01 29

- · Uncleaned packaging:
- · Recommendation:

Empty contaminated packagings thoroughly. They may be recycled after thorough and proper cleaning. Packagings that may not be cleansed are to be disposed of in the same manner as the product.

· Recommended cleansing agents: Water, if necessary together with cleansing agents.

14 Transport information	
· UN-Number · ADR, ADN, IMDG, IATA	Void
· UN proper shipping name · ADR, ADN, IMDG, IATA	Void
· Transport hazard class(es)	
· ADR, ADN, IMDG, IATA · Class	Void
· Packing group · ADR, IMDG, IATA	Void
· Special precautions for user	Not applicable.
· Transport in bulk according to Annex MARPOL73/78 and the IBC Code	x II of Not applicable.

## 15 Regulatory information

- · Safety, health and environmental regulations/legislation specific for the substance or mixture
- · National regulations:
- Other regulations, limitations and prohibitive regulations Other regulations (EC): Regulation (EC) No 648/2004
- · Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

### 16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

(Contd. on page 7)

according to Regulation (EC) No 1907/2006, Article 31

Printing date 15.02.2012 Version number 3 Revision: 15.02.2012

Identification of the substance/preparation: Elatex Stain Remover

(Contd. of page 6)

### · Relevant phrases

- H226 Flammable liquid and vapour.
- H271 May cause fire or explosion; strong oxidiser.
- H302 Harmful if swallowed.
- H314 Causes severe skin burns and eye damage.
- H332 Harmful if inhaled.
- R10 Flammable.
- R20/22 Harmful by inhalation and if swallowed.
- R35 Causes severe burns.
- R5 Heating may cause an explosion.
- R8 Contact with combustible material may cause fire.
- · Training hints ---
- · Recommended restriction of use ---
- · Department issuing MSDS: Department for product development
- · Contact: Dr. Olaf Janßen
- · Sources Safety data sheet for raw materials, eur-lex.europa.eu

GE